

# Burmatex<sup>®</sup>

MANUFACTURERS OF CREATIVE FLOORING 

## Product Catalogue

carpet tiles, planks & sheet





carbon neutral & low carbon

surface trace<sup>®</sup> aspect, echo

# Product Catalogue

Burmatex® offers an expansive product range; our traditional fibre bonded sheet and tile ranges include entrance products and ground-breaking structure bonded ranges, which present an expansive colour palette.

Our multilevel loop, low level loop, textured loop and cut pile tufted carpet tile ranges, including a specialist entrance barrier product, are inspired by the latest and predicted future design and colour trends.



## Sustainability Principles

Burmatex® is committed to best environmental practice in our manufacturing, from the sourcing of raw materials, including recycled content, minimising emission of CO<sub>2</sub> and reprocessing waste, use of green electricity and recycled packaging.

Our products are EPD verified by an independent third-party verification of the declaration and data, according to ISO 14025:2006.

**eco<sub>2</sub>matters®**

# surface trace<sup>®</sup>

## carbon neutral multilevel loop carpet tiles


surface trace<sup>®</sup> delves into our traditional roots and reflects the tactile craft of weaving.

**Pile Weight:** 825g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC1  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Description:

 carbon negative recycled yarn

### Backing:

 **BioBase<sup>®</sup>**  
Recycled content BS EN ISO 14021

### Yarn Certification:

 C2C Certified Material  
Health Certificate<sup>™</sup> Silver

### Carbon Status:

 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **3.71**  
According to EN 15804

### Total Recycled Content of Product:

 **72.7%**  
BS EN ISO 14021



# rocklines®


## carbon neutral multilevel loop carpet tiles

Inspired by the markings seen in rockfaces, mountains and various terrains. An opulent and delicate design, available in 16 colours, influenced by weathered coastlines and geological diversities.

### Yarn Description:

 carbon negative recycled yarn

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

**Pile Weight:** 635g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC1  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

### Carbon Status:


 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:


 **3.38**  
According to EN 15804

### Total Recycled Content of Product:

 **72.1%**  
BS EN ISO 14021



**marble** 36101   **causeway** 36102   **mountain** 36103   **imprint** 36104   **climate** 36105   **tectonic** 36106   **fragment** 36107   **terrain** 36108



**sunlit** 36109   **habitat** 36110   **uplift** 36111   **burnish** 36112   **amethyst** 36113   **oceanic** 36114   **riptide** 36115   **serpentine** 36116

# threads®

## low carbon multilevel loop carpet tiles

Inspired by connecting strands of colour, tones and design creating an overall pattern suitable for a broad range of interiors.

### Yarn Description:

 bio-genic recycled yarn

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

**Pile Weight:** 622g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC1  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### On Site Energy Generation:

 100% renewable energy  
used to create all Burmatex products

### Carbon Status:

 low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **3.90**  
independently 3rd party verified  
According to EN 15804

### Total Recycled Content of Product:

 73.6%  
BS EN ISO 14021



threads® base blend, base yellow & rust mix

# standing stones®

## carbon neutral multilevel loop carpet tiles

Inspired by uncovered architectural clues from history, in an accessible colour palette of 16, making it suitable for functional and commercial interiors.

### Yarn Description:

 carbon negative recycled yarn

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

**Pile Weight:** 606g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC1  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

### Carbon Status:


 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **3.32**  
According to EN 15804

### Total Recycled Content of Product:

 **72.2%**  
BS EN ISO 14021



standing stones® neutral ground, stone circle & mystic pink

# snowfall®

## carbon neutral multilevel loop carpet tiles

An effortless design inspired by undulating patterns of snow and the shadows created, making it a great choice for a variety of interiors.

### Yarn Description:

 carbon negative recycled yarn

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

**Pile Weight:** 670g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC2  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

### Carbon Status:


 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **3.39**  
According to EN 15804

### Total Recycled Content of Product:

 **72.2%**  
BS EN ISO 14021



# balance grid®


## carbon neutral multilevel loop carpet tiles

Inspired by the pattern of intersecting city streets, **balance grid®** works alone or paired with the other two designs in the **balance collection®**.

### Yarn Description:

 carbon negative recycled yarn

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

### Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

### Carbon Status:


 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **independently 3<sup>rd</sup> party verified** **3.19**  
According to EN 15804

### Total Recycled Content of Product:

 **73.6%**  
BS EN ISO 14021



balance grid® lilac view, crisp air, aqua skyline & block blue

# balance ratio®

## carbon neutral multilevel loop carpet tiles

**EN**  
Embodies the soft and organic flow of natural elements. **balance ratio®** works alone or paired with the other two designs in the **balance collection®**.


### Yarn Description:

 carbon negative recycled yarn

### Carbon Status:

 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **independently 3<sup>rd</sup> party verified** **3.19**  
According to EN 15804


**Pile Weight:** 628g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC2  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Certification:

 **C2C Certified Material Health Certificate™ Silver**

### Total Recycled Content of Product:

 **73.6%**  
BS EN ISO 14021



balance ratio® dewy harbour, aqua vapour & greenery moss

# balance scale®

## carbon neutral multilevel loop carpet tiles

Reflects tactile markings in man made materials and nature. **balance scale®** works alone or paired with the other two designs in the **balance collection®**.

### Yarn Description:

 carbon negative recycled yarn

### Carbon Status:

 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **independently 3<sup>rd</sup> party verified** **3.19**  
According to EN 15804

**Pile Weight:** 628g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC2  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

### Total Recycled Content of Product:

 **73.6%**  
BS EN ISO 14021



balance scale® smoky wood & apricot shine

# alaska<sup>®</sup>

## low carbon multilevel loop carpet tiles

A timeless and tactile design, inspired by the natural textures found in the Alaskan landscape. The expansive biophilic palette and luxurious rippled effect is an ideal choice for commercial interiors.

### Yarn Description:



100% Econyl<sup>®</sup>  
regenerated recyclable yarn

### Backing:



BioBase<sup>®</sup>  
Recycled content BS EN ISO 14021

### On Site Energy Generation:



100% renewable energy  
used to create all Burmatex products

### Carbon Status:



low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:



independently  
3rd party verified  
3.42  
According to EN 15804

### Total Recycled Content of Product:



74.7%  
BS EN ISO 14021

Pile Weight: 800g/m<sup>2</sup>  
Wear Classification: Achieves Class 33  
Luxury Class Rating: LC2  
Flammability: Euroclass Bfl-s1  
Castor Chair Rating: Pass - continuous use  
Low VOCs: A+ / M1



ice 22201   ridge 22202   north 22204   moose 22205   antler 22213   husky 22209   wolf 22210   cabin 22214



maple 22215   amber 22216   wildflower 22217   alpine 22218   rapids 22219   lagoon 22220   lake 22208   creek 22207

alaska<sup>®</sup> rapids, alpine, lagoon, wildflower & amber

# osaka®


## carbon neutral multilevel loop carpet tiles

Inspired by an incredibly vibrant, futuristic, and traditional part of the world, Japan. The contrasts found in Japan inspire the range; new and old, warm and cool, urban and natural.

### Yarn Description:

 carbon negative recycled yarn

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

**Pile Weight:** 695g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC2  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

### Carbon Status:

 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:


 **3.55**  
According to EN 15804

### Total Recycled Content of Product:

 **72.3%**  
BS EN ISO 14021



**mochi** 22809    **arashi** 22805    **kumo** 22814    **sumi** 22803    **hikari** 22813    **sesame** 22802



**kawa** 22815    **gingko** 22817    **chiru** 22818    **kori** 22819    **sora** 22816    **hanabi** 22820

# arctic®


## carbon neutral multilevel loop carpet tiles & planks

Inspired by the changing landscape of the Arctic region. Organic lines cutting through icy rock, cold water flowing down frozen mountains and glacial river rapids inspire the movement in the design.

### Yarn Description:

 carbon negative recycled yarn

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

**Pile Weight:** 624g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC1  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

### Carbon Status:


 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **independently 3rd party verified** **3.22**  
According to EN 15804

### Total Recycled Content of Product:

 **72.0%**  
BS EN ISO 14021



arctic® hail stone & norse grey

# dapple®

## carbon neutral multilevel loop carpet tiles


The design echoes the effect of light being filtered through trees and scattered onto the forest floor.

**Pile Weight:** 678g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC2  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### Yarn Description:

 carbon negative recycled yarn

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

### Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

### Carbon Status:


 carbon neutral  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **3.31**  
According to EN 15804

### Total Recycled Content of Product:

 **72.3%**  
BS EN ISO 14021



silver gleam  
34301


cool breeze  
34302

grey zephyr  
34303

golden hour  
34304

luminous blue  
34307

midnight violet  
34309



vivid navy  
34308

dark nimbus  
34312

spring seed  
34305

airy celadon  
34306

inky shade  
34310

moonlit glow  
34311




dapple® light lookout & mellow wisp

# origin

## low carbon cut pile carpet tiles

The commercial colour palette of 10 is sophisticated and refined, inspired by coastal walks and views.

### Yarn Description:



### Backing:



**Pile Weight:** 1300g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC5  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### On Site Energy Generation:




### Carbon Status:



### Global Warming Potential / kg CO<sub>2</sub> eq:



### Total Recycled Content of Product:



cloud  
33201

pearl  
33202

pebble  
33203

shale  
33204

mussle  
33205


gull  
33206

gorse  
33207

surf  
33208

wave  
33209

heather  
33210




# tivoli®


## low carbon low level loop carpet tiles & planks


Comprised of tivoli® and tivoli® multiline the options for floor design are endless. With a coordinated colour palette of 40 and Class 33, this enduring collection is suitable for use in a wide variety of commercial interiors.


**Pile Weight:** 600g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC2  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1


**Yarn Description:**  
 bio-genic recycled yarn

**Backing:**  
 **BioBase®**  
 Recycled content BS EN ISO 14021

**On Site Energy Generation:**  
 100% renewable energy  
 used to create all Burmatex products

**Carbon Status:**  
 low carbon

**Global Warming Potential / kg CO<sub>2</sub> eq:**  
 3.10  
 According to EN 15804

**Total Recycled Content of Product:**  
 74.0%  
 BS EN ISO 14021

### tivoli® 32 options

									
dominica dawn ■ 20245 ■ 21145	antigua steel ■ 20242 ■ 21142	belize greige ■ 20208 ■ 21108	serranilla stone 20213	st lucia night ■ 20207 ■ 21107	aruba dusk ■ 20275 ■ 21175	st kitts basalt ■ 20260 ■ 21160	montserrat black 20259	tenerife black ■ 20707 ■ 21207	melanesia grey ■ 20703 ■ 21203
									
kythira blue 20265	barbados blue ■ 20220 ■ 21120	naxos breeze 20263	baltic blue 20281	nassau skies 20252	crete blue 20262	hudson bay ■ 20285 ■ 21185	key west blue ■ 20253 ■ 21153	mediterranean topaz ■ 20709 ■ 21209	great barrier blue ■ 20717 ■ 21217
									
greenland fern 20282	guyana moss ■ 20201 ■ 21101	tiki yellow ■ 20266 ■ 21166	miami aqua ■ 20267 ■ 21167	sri lanka sands ■ 20268 ■ 21168	bengal base 20283	tasmanian rock 20284	tobago sands 20246	seychelles beige ■ 20711 ■ 21211	palm green 20715
									
tropic purple ■ 20276 ■ 21176	pink paradise ■ 20277 ■ 21177	puerto rico purple 20254	pinta purple 20270	capetown clay 20278	madagascar orange ■ 20279 ■ 21179	cuban brown 20280	rio red 20273	volcanic flame 20716	hawaiian purple 20714

### tivoli® multiline 8 options



tivoli® baltic blue & hudson bay

# tivoli mist®

## low carbon low level loop carpet tiles & planks

With a design allowing for soft transitions between colours or a sleek all over pattern that mists from one to another. The colour palette of 10 provides endless possibilities for adding colour into a wide variety of interiors.

### Yarn Description:



bio-genic recycled yarn

### Backing:



**BioBase®**  
Recycled content BS EN ISO 14021

### Carbon Status:



low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:



**3.10**  
According to EN 15804

**Pile Weight:** 600g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC2  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### On Site Energy Generation:




**100% renewable energy**  
used to create all Burmatex products


### Total Recycled Content of Product:



**74.0%**  
BS EN ISO 14021



**bora bora** ■■ 33201 ■■ 32906    **polar drift** ■■ 33202 ■■ 32912    **galapagos bay** ■■ 33203 ■■ 32913    **shoreline sail** ■■ 33204 ■■ 32914    **waterfront wave** ■■ 33205 ■■ 32915



**turtle bay** ■■ 33206 ■■ 32905    **south beach** ■■ 33207 ■■ 32901    **sunset canyon** ■■ 33208 ■■ 32916    **hibiscus haven** ■■ 33209 ■■ 32917    **island haze** ■■ 33210 ■■ 32918



tivoli mist® polar drift, sunset canyon & hibiscus haven  
tivoli® dominica dawn, madagascar orange & pink paradise

# infinity®

## low carbon low level loop carpet tiles

Visual inspiration from rocks, gemstones, coastlines, and minerals help to create the individual aspect of this heavy commercial range. This specific characteristic of the tile provides excellent soil hiding properties.

### Yarn Description:



**100% Econyl®**  
regenerated recyclable yarn

### Backing:



**BioBase®**  
Recycled content BS EN ISO 14021

### On Site Energy Generation:



**100% renewable energy**  
used to create all Burmatex products

### Carbon Status:



**low carbon**

### Global Warming Potential / kg CO<sub>2</sub> eq:



**3.16**  
According to EN 15804

### Total Recycled Content of Product:



**73.7%**  
BS EN ISO 14021

**Pile Weight:** 550g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC1  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1



infinity® slate grey with additional colours

# go to<sup>®</sup>


## low carbon low level loop carpet tiles

go to<sup>®</sup> offers two designs, sixteen plains and four stripe options. The range of colours has been increased to create this attractively practical, versatile and flexible palette.

### Yarn Description:

 EgoCycle<sup>®</sup> 75 recycled yarn

### Backing:

 BioBase<sup>®</sup>  
Recycled content BS EN ISO 14021

**Pile Weight:** 500g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC1  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### On Site Energy Generation:

 100% renewable energy  
used to create all Burmatex products

### Carbon Status:

 low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:


 **4.26**  
According to EN 15804

### Total Recycled Content of Product:

 **70.0%**  
BS EN ISO 14021



## go to<sup>®</sup> four stripe options:



go to<sup>®</sup> light beige & dark beige stripe

# eco-cordiale®

## carbon neutral fibre bonded carpet tiles

eco-cordiale® combines extreme durability with excellent sustainability credentials to make it the ideal choice for use in environments such as schools, colleges, and universities. Featuring an extended 44 colour palette, eco-cordiale® is available in both fine ribbed carpet tile and sheet, is easy to maintain and features **anti-fray** and **anti-ravel** technology.

**Pile Weight:** 950g/m<sup>2</sup>  
**Wear Classification:** Heavy Contract  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+

### Yarn Description:

**ecofibre™**  
 15% Regenerated Nylon, 5% Recycled Polyester

### Technology:

**BioBase®**  
 Recycled content BS EN ISO 14021

### On Site Energy Generation:

**100% renewable energy**  
 used to create all Burmatex products

### Carbon Status:

**carbon neutral**  
 Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Global Warming Potential / kg CO<sub>2</sub> eq:

**3.78**  
 According to EN 15804  
 independently 3<sup>rd</sup> party verified

### Total Recycled Content of Product:

**63.0%**  
 BS EN ISO 14021

<b>diamond</b> 12105	<b>storm</b> 12104	<b>sky</b> 12181	<b>stones</b> 12191	<b>sagebrush</b> 12171	<b>sun</b> 12188	<b>mauve</b> 12175	<b>lavender</b> 12113	<b>aqua</b> 12182
<b>silver</b> 12160	<b>horizon</b> 12119	<b>sapphire</b> 12162	<b>honey</b> 12134	<b>fern</b> 12172	<b>saffron</b> 12167	<b>pink</b> 12186	<b>lilac</b> 12174	<b>peacock</b> 12173
<b>clouds</b> 12103	<b>denim</b> 12117	<b>atlantis</b> 12114	<b>sand</b> 12178	<b>lime</b> 12130	<b>tangerine</b> 12168	<b>rose</b> 12176	<b>indigo</b> 12180	<b>jade</b> 12123
<b>charcoal</b> 12102	<b>ocean</b> 12161	<b>ultramarine</b> 12163	<b>earth</b> 12165	<b>emerald</b> 12183	<b>crimson</b> 12169	<b>orchid</b> 12177	<b>violet</b> 12184	<b>turquoise</b> 12122
<b>ebony</b> 12101	<b>ink</b> 12107	<b>midnight</b> 12164	<b>electric</b> 12166	<b>sea</b> 12125	<b>paprika</b> 12185	<b>cherry</b> 12170	<b>brown</b> 12131	



# academy<sup>®</sup>

## low carbon fibre bonded carpet tiles

The extremely durable broad ribbed carpet, available in tile or sheet making it easy to maintain, and features anti-fray and anti-ravel technology. The palette of 24 colours is an ideal choice for use in schools, colleges and universities, perfect for heavy footfall environments.

### Technology:

 anti-fray & anti-ravel

### Backing:

 **BioBase<sup>®</sup>**  
Recycled content BS EN ISO 14021

**Pile Weight:** 940g/m<sup>2</sup>  
**Wear Classification:** Heavy Contract  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+

### On Site Energy Generation:

 **100% renewable energy**  
used to create all Burmatex products

### Carbon Status:

 low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **4.45**  
According to EN 15804

### Total Recycled Content of Product:

 **59.2%**  
BS EN ISO 14021



academy<sup>®</sup> diamond grey, lime green, emerald green, atlantis blue

# lateral®

## low carbon fibre bonded carpet tiles


With an innovative textured appearance and durable composition lateral® is the ideal product offering across the education, leisure, commercial and public sectors.

**Pile Weight:** 950g/m<sup>2</sup>  
**Wear Classification:** Heavy Contract  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+

### Technology:

 anti-fray & anti-ravel

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

### On Site Energy Generation:

 **100% renewable energy**  
used to create all Burmatex products

### Carbon Status:

 low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **4.42**  
According to EN 15804

### Total Recycled Content of Product:

 **58.9%**  
BS EN ISO 14021



lateral® pewter cloud, concrete jungle & lime street

# code

## low carbon fibre bonded carpet tiles

code is a hardwearing, structure bonded® carpet tile design, using contrasting stripes of colour and texture for a strong defined look.

**Pile Weight:** 1000g/m<sup>2</sup>  
**Wear Classification:** Heavy Contract  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+

### Technology:



anti-fray & anti-ravel

### Backing:



**BioBase®**  
Recycled content BS EN ISO 14021

### On Site Energy Generation:



**100% renewable energy**  
used to create all Burmatex products

### Carbon Status:



low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:



**4.07**  
According to EN 15804

### Total Recycled Content of Product:



**56.3%**  
BS EN ISO 14021



**cool stone**  
12912

**pewter track**  
12926

**diamond coal**  
12930

**metal shock**  
12906

**night suede**  
12928

**pitch black**  
12929



**ink film**  
12923


**blue reef**  
12927

**lavender seed**  
12924

**deep purple**  
12920

**pink panther**  
12916

**indigo stack**  
12931



**turquoise opal**  
12922


**emerald city**  
12925

**lime zest**  
12902

**rolled gold**  
12918

**sun burst**  
12901

**scarlet fever**  
12904



code diamond coal with lime zest, rolled gold & sun burst

# velour excel

## low carbon fibre bonded carpet tiles


velour excel presents a luxurious, velour carpet tile suitable for use within the heavy contract market. The premium blend of solution dyed fibres ensures velour excel is ideal for use in both commercial and public buildings.

**Pile Weight:** 1200g/m<sup>2</sup>  
**Wear Classification:** Heavy Contract  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+

### Technology:

 withstands heavy foot traffic

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

### On Site Energy Generation:

 100% renewable energy  
used to create all Burmatex products

### Carbon Status:

 low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:


 **5.04**  
independently 3rd party verified  
According to EN 15804

### Total Recycled Content of Product:


 51.9%  
BS EN ISO 14021



**bavarian blue** 6081   **barona blue** 6060   **iceni blue** 6023   **saxon blue** 6028   **spartan mauve** 6056   **sky dancer** 6061



**mayan sky** 6082   **trojan green** 6045   **norse green** 6083   **phoenician green** 6036   **dorian azure** 6055   **assyrian jade** 6022



**red lake** 6062   **persian purple** 6090   **navajo mauve** 6066   **norman steel** 6050   **armenian grey** 6040   **yakama slate** 6070



# eco-cordiale®

## carbon neutral fibre bonded carpet sheet

eco-cordiale® combines extreme durability with excellent sustainability credentials to make it the ideal choice for use in environments such as schools, colleges, and universities. Featuring an extended 44 colour palette, eco-cordiale® is available in both fine ribbed carpet tile and sheet, is easy to maintain and features **anti-fray** and **anti-ravel** technology.

### Yarn Description:

**ecofibre™**  
15% Regenerated Nylon, 5% Recycled Polyester

### Carbon Status:

**carbon neutral**  
Offset at source and independently 3<sup>rd</sup> party verified. Details available upon request.

### Technology:

 **anti-fray & anti-ravel**

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **2.92**  
According to EN 15804

**Total Weight:** 950g/m<sup>2</sup>  
**Wear Classification:** Heavy Contract  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+

### On Site Energy Generation:

 **100% renewable energy**  
used to create all Burmatex products

### Total Recycled Content of Product:

 **18.3%**  
BS EN ISO 14021



# academy<sup>®</sup>

## low carbon fibre bonded carpet sheet

The extremely durable broad ribbed carpet, available in tile or sheet making it easy to maintain, and features anti-fray and anti-ravel technology. The palette of 24 colours is an ideal choice for use in schools, colleges and universities, perfect for heavy footfall environments.

### Technology:



anti-fray & anti-ravel

### Technology:



withstands heavy foot traffic

### On Site Energy Generation:



100% renewable energy  
used to create all Burmatex products

### Carbon Status:



low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:



3.26  
According to EN 15804

### Total Recycled Content of Product:



3.7%  
BS EN ISO 14021



Total Weight: 940g/m<sup>2</sup>  
Wear Classification: Heavy Contract  
Flammability: Euroclass Bfl-s1  
Castor Chair Rating: Pass - continuous use  
Low VOCs: A+



# 5500 luxury

## low carbon fibre bonded carpet sheet

5500 luxury is constructed from a high performance mix of solution dyed fibres. With a soft, velour effect this fibre bonded sheet carpet is ideal for commercial interiors requiring heavy footfall solutions.

### Technology:

 withstands heavy foot traffic

### Carbon Status:

 low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **4.85**  
independently 3rd party verified  
According to EN 15804

**Total Weight:** 1150g/m<sup>2</sup>  
**Wear Classification:** Heavy Contract  
**Flammability:** Euroclass Dfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+

### On Site Energy Generation:

 **100% renewable energy**  
used to create all Burmatex products

### Total Recycled Content of Product:

 **10.0%**  
BS EN ISO 14021



# armour

## low carbon performance barrier carpet tiles

armour uses the latest yarn technology to maximise moisture absorption, actively scrape away dirt, and provide heavy duty performance.

### Yarn Description:



100% regenerated  
recyclable nylon

### Backing:



BioBase®  
Recycled content BS EN ISO 14021

### Carbon Status:



low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:



4.01  
According to EN 15804

**Pile Weight:** 920g/m<sup>2</sup>  
**Wear Classification:** Achieves Class 33  
**Luxury Class Rating:** LC3  
**Flammability:** Euroclass Bfl-s1  
**Castor Chair Rating:** Pass - continuous use  
**Low VOCs:** A+ / M1

### On Site Energy Generation:



100% renewable energy  
used to create all Burmatex products

### Total Recycled Content of Product:



75.4%  
BS EN ISO 14021



titanium ore  
36301

leaden grey  
36306

silver nickel  
36302

tungsten stone  
36307

black magnet  
36303

onyx shield  
36304



saltwater blue  
36309


coastline azure  
36310

cactus thorn  
36312

bamboo wood  
36305

burn terracotta  
36308

ruby ground  
36311



armour diamond coal with lime zest, rolled gold & sun burst

# entrance matting


## low carbon carpet tiles

This hardwearing fibre bonded carpet tile is suitable for high footfall entrances which lead directly from outside environments.

### Technology:

 protects interior flooring finishes

### Backing:

 **BioBase®**  
Recycled content BS EN ISO 14021

**Pile Weight:** 1490g/m<sup>2</sup>  
**Wear Classification:** Heavy Contract  
**Flammability:** Euroclass Bfl-s1

### On Site Energy Generation:

 **100% renewable energy**  
used to create all Burmatex products

### Carbon Status:

 low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:


 **independently 3rd party verified** **4.98**  
According to EN 15804

### Total Recycled Content of Product:

 **43.2%**  
BS EN ISO 14021



# chevrolay 50

## low carbon entrance matting carpet tiles



# grimebuster 50

## low carbon entrance matting carpet tiles



# entrance matting

## low carbon carpet sheet

This extremely durable fibre bonded carpet sheet is able to withstand heavy foot traffic as well as creating an effective barrier against dirt and wear.

### Technology:

 protects interior flooring finishes

### Suitable For:

 withstands heavy foot traffic

Total Weight: 1490g/m<sup>2</sup>  
Wear Classification: Heavy Contract  
Flammability: Euroclass Dfl-s1

### On Site Energy Generation:

 100% renewable energy  
used to create all Burmatex products

### Carbon Status:

 low carbon

### Global Warming Potential / kg CO<sub>2</sub> eq:

 **4.52**  
independently 3rd party verified  
According to EN 15804

### Total Recycled Content of Product:

 0%  
BS EN ISO 14021

# 7800 chevrolay

## low carbon entrance matting carpet sheet



charcoal  
7840

blue  
7828


green  
7836

fawn  
7846

brown  
7839

# 7700 grimebuster

## low carbon entrance matting carpet sheet




grey  
1440

blue  
1428

green  
1436

fawn  
1446

brown  
1439



7700 grimebuster grey

# technical specification

Product Type	Name	Number of Colours	Carbon Status	Yarn Description	Pile Weight g/m <sup>2</sup>	Total Weight gms	Pile Height mm	Tufts per m <sup>2</sup>	Backing	Wear Classification	Reduction in Impact Noise	Flammability	Castor Chair Rating	Body Voltage Test	Colour Fastness To Light
Multilevel Loop	surface trace*	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	825	4185	7.5	226771	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	rocklines*	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	635	4032	7	226771	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	threads*	12	Low carbon	EqoBalance® 100% recycled bio-genic yarn	622	4022	7	226771	BioBase®	Class 33	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	standing stones*	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	606	4100	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	snowfall*	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	670	4040	4.5	226771	BioBase®	Class 33	25dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance grid*	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance ratio*	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance scale*	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	alaska*	16	Low carbon	100% Econyl regenerated recycled solution dyed nylon	800	4200	5	226771	BioBase®	Class 33	22dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	osaka*	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	695	4100	5	226771	BioBase®	Class 33	28dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	arctic*	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	624	4024	4.5	226771	BioBase®	Class 33	26dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	dapple*	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	678	4100	5.2	236220	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Cut Pile	origin	10	Low carbon	100% Econyl regenerated recycled solution dyed nylon	1300	4550	7	165354	BioBase®	Class 33	28dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	tivoli*	40	Low carbon	EqoBalance® 100% recycled bio-genic yarn	600	4050	4	196500	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	tivoli mist*	10	Low carbon	EqoBalance® 100% recycled bio-genic yarn	600	4050	4	196500	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	infinity*	16	Low carbon	100% Econyl regenerated recycled solution dyed nylon	550	4000	4	177165	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	go to*	20	Low carbon	EqoCycle® 75 recycled solution dyed nylon	500	3810	3	196850	BioBase®	Class 33	20dB	Bfl-s1	Pass	<2kV	Minimum Grade 6

\* Made from Universal Fibers® Thrive® matter yarn, the world's first carbon negative recycled yarn, and our unique BioBase® recycled backing

## technical specification

Product Type	Name	Number of Colours	Carbon Status	Yarn Description	Pile Weight g/m <sup>2</sup>	Total Weight gms	Pile Height mm	Tufts per m <sup>2</sup>	Backing	Wear Classification	Reduction in Impact Noise	Flammability	Castor Chair Rating	Body Voltage Test	Colour Fastness To Light
Fibre Bonded Tile	eco-cordiale	44	Low carbon	75% Polypropylene 15% Regenerated Nylon 10% Recycled Polyester	-	4200	6	-	BioBase®	Heavy Contract	18dB	Bfl-s1	Pass	<2kV	Minimum Grade 9
Fibre Bonded Tile	academy®	24	Low carbon	80% Polypropylene 15% Nylon 5% Recycled Polyester	-	4050	5.5	-	BioBase®	Heavy Contract	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 10
Structure Bonded Tile	lateral®	18	Low carbon	80% Polypropylene 15% Nylon 5% Recycled Polyester	-	4200	6	-	BioBase®	Heavy Contract	18dB	Bfl-s1	Pass	<2kV	Minimum Grade 12
Stucture Bonded Tile	code	18	Low carbon	85% Polypropylene 15% Nylon	-	4250	6	-	BioBase®	Heavy Contract	17dB	Bfl-s1	Pass	<2kV	Minimum Grade 13
Fibre Bonded Tile	velour excel	18	Low carbon	85% Polypropylene 15% Nylon	-	4090	8	-	BioBase®	Heavy Contract	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 11
Fibre Bonded Sheet	eco-cordiale sheet	44	Low carbon	75% Polypropylene 15% Regenerated Nylon 10% Recycled Polyester	-	950	6	-	-	Heavy Contract	18dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Fibre Bonded Sheet	academy® sheet	24	Low carbon	80% Polypropylene 15% Nylon 5% Recycled Polyester	-	940	5.5	-	-	Heavy Contract	19dB	Bfl-s1	Pass	<2kV	Minimum Grade 7
Fibre Bonded Sheet	5500 luxury	18	Low carbon	85% Polypropylene 15% Nylon	-	1150	8	-	-	Heavy Contract	21dB	Dfl-s1	Pass	<2kV	Minimum Grade 8
Performance Barrier	armour	12	Low carbon	100% Econyl® regenerated solution dyed nylon	920	4500	7.5	110236	BioBase®	Class 33	-	Bfl-s1	Pass	<2kV	Minimum Grade 6
Entrance Matting Tile	chevolay 50	5	Low carbon	100% Polypropylene	-	4300	10	-	BioBase®	Heavy Contract	Not tested	Bfl-s1	Pass	<2kV	Minimum Grade 16
Entrance Matting Tile	grimebuster 50	5	Low carbon	100% Polypropylene	-	4300	10	-	BioBase®	Heavy Contract	Not tested	Bfl-s1	Pass	<2kV	Minimum Grade 17
Entrance Matting Sheet	7800 chevolay	5	Low carbon	100% Polypropylene	-	1490	10	-	-	Heavy Contract	Not tested	Dfl-s1	Pass	<2kV	Minimum Grade 15
Entrance Matting Sheet	7700 grimebuster	5	Low carbon	100% Polypropylene	-	1490	10	-	-	Heavy Contract	Not tested	Dfl-s1	Pass	<2kV	Minimum Grade 14

# Burmatex<sup>®</sup>

MANUFACTURERS OF CREATIVE FLOORING 

eco<sub>2</sub>matters<sup>®</sup>

## Head Office

Victoria Mills, The Green  
Ossett  
West Yorkshire  
WF5 0AN  
United Kingdom

Tel: +44 (0) 1924 262525  
Email: [projects@burmatex.co.uk](mailto:projects@burmatex.co.uk)

**[www.burmatex.co.uk](http://www.burmatex.co.uk)**

Issue: November 2025